



aluNORM

IP 66, Optional: IP 67

aluNORM IP 66 diecast aluminium enclosures are designed to protect electrical and electronic components. The enclosures are available in four different versions with different lid and base combinations. This gives a huge variety of sizes and design options to choose from.

Uniquely, aluNORM enclosures are mounted to a wall or machine using the same screw channels as the lid fixings. This means there is more space inside for your assemblies and components. EMC shielded versions are available for the AS and AD variants, and some AF and AH variants - see ordering details. Threaded screw bosses in the lid and base enable fast installation of terminal rails, mounting plates etc. Matching cable glands and accessories are also available.

We can supply aluNORM enclosures fully customised to your requirements.

Enclosure sizes
86 sizes

Dimensions from: L x W x H

50 x 65 x 40 mm to 640 x 320 x 120 mm

Additional info
4 different variants

AS (deep bottom, flat lid)
AD (flat bottom, deep lid)
AF (flat bottom, flat lid)
AH (deep bottom, deep lid)

Compatible assembly dimensions with the polyTOP range (polyester enclosure)

Optional: Specially developed external mounting brackets made from die-cast aluminium, available from AS 080

Enclosure
Diecast aluminium

EN AC 44300/EN AC-44200 (DIN EN 1706)

1° mould slope for casting ejection > internal circumference dimensions decrease by 1° towards enclosure bottom.

Fastening

Space-saving single-channel technology for lid and fastening screws outside of the enclosure interior
Even square enclosures can be screwed into any position without problems, thanks to the symmetrical arrangement

Internal mounting

Fastening thread in lateral bars on the floor of the enclosure and a fastening option and/or thread in the lid (both depending on the variant)

Mounting plate made from galvanised sheet steel available as an accessory

Ingress protection

IP 66 / EN 60529

Optional: IP 67 / EN 60529

Gasket

Chloroprene O-ring gasket (CR), temperature resistance: -30°C to +90°C

or TPE moulded gasket, silicone-free, temperature resistance: -40°C to +120°C

Optional: Silicone gasket, temperature resistance: -50°C to +140°C

Lid screws

Stainless steel 1.4567, captive

Surface

Powder coating RAL 7035 light grey







Optional: Special colours








Optional: Corrosion protection








Customising

Learn more about our full customising service for installation-ready enclosures

AD Dimensions

| Photo | Part-No. | Type | Length | Width | Height | Ingress protection | Gasket | Available Options |
|---|------------------------------------|----------------|--------|-------|--------|-----------------------------------|--------|--|
|  | <u>101.080.035</u> | aluNORM AD 080 | 80 | 80 | 60 | IP 66/EN 60529, IP 67/EN 60529 | | Cross rail, Designed gasket, Mounting plates, Protection Class IP 67, External mounting brackets, Silicon-gasket, Shielding, Block terminal support, Corrosion proof coating, Supporting rail for series terminals |
|  | <u>101.082.035</u> | aluNORM AD 082 | 120 | 80 | 60 | IP 66/EN 60529, IP 67/EN 60529 | | Cross rail, Designed gasket, Mounting plates, Protection Class IP 67, External mounting brackets, Silicon-gasket, Shielding, Block terminal support, Corrosion proof coating, Supporting rail for series terminals |
|  | <u>101.084.035</u> | aluNORM AD 084 | 160 | 80 | 60 | IP 66/EN 60529, IP 67/EN 60529 | | Cross rail, Designed gasket, Mounting plates, Protection Class IP 67, External mounting brackets, Silicon-gasket, Shielding, Block terminal support, Corrosion proof coating, Supporting rail for series terminals |
|  | <u>101.100.035</u> | aluNORM AD 100 | 100 | 100 | 80 | IP 66/EN 60529, IP 67/EN 60529 | | Designed gasket, External mounting brackets, Protection Class IP 67, Supporting rail for series terminals, Corrosion proof coating, Cross rail, Mounting plates, Silicon-gasket, Hold hinges, Hinges, Shielding |
|  | <u>101.102.035</u> | aluNORM AD 102 | 150 | 100 | 80 | IP 66/EN 60529, IP 67/EN 60529 | | Designed gasket, External mounting brackets, Protection Class IP 67, Supporting rail for series terminals, Corrosion proof coating, Cross rail, Mounting plates, Silicon-gasket, Hold hinges, Hinges, Shielding |
|  | <u>101.104.035</u> | aluNORM AD 104 | 200 | 100 | 80 | IP 66/EN 60529, IP 67/EN 60529 | | Designed gasket, External mounting brackets, Protection Class IP 67, Supporting rail for series terminals, Corrosion proof coating, Cross rail, Mounting plates, Silicon-gasket, Hold hinges, Hinges, Shielding |









| Photo | Part-No. | Type | Length | Width | Height | Ingress protection | Gasket | Available Options |
|---|-----------------------------|----------------|--------|-------|--------|-----------------------------------|--------|--|
|  | 101.120.035 | aluNORM AD 120 | 120 | 120 | 100 | IP 66/EN 60529, IP 67/EN 60529 | | Designed gasket, Internal hinges, External mounting brackets, Protection Class IP 67, Supporting rail for series terminals, Corrosion proof coating, Cross rail, Mounting plates, Silicon-gasket, Hold hinges, Hinges, Shielding |
|  | 101.122.035 | aluNORM AD 122 | 180 | 120 | 100 | IP 66/EN 60529, IP 67/EN 60529 | | Designed gasket, Internal hinges, External mounting brackets, Protection Class IP 67, Supporting rail for series terminals, Corrosion proof coating, Cross rail, Mounting plates, Silicon-gasket, Hold hinges, Hinges, Shielding |
|  | 101.124.035 | aluNORM AD 124 | 240 | 120 | 100 | IP 66/EN 60529, IP 67/EN 60529 | | Designed gasket, Internal hinges, External mounting brackets, Protection Class IP 67, Supporting rail for series terminals, Corrosion proof coating, Cross rail, Mounting plates, Silicon-gasket, Hold hinges, Hinges, Shielding |
|  | 101.160.035 | aluNORM AD 160 | 160 | 160 | 100 | IP 66/EN 60529, IP 67/EN 60529 | | Designed gasket, Internal hinges, External mounting brackets, Protection Class IP 67, Supporting rail for series terminals, Corrosion proof coating, Cross rail, Mounting plates, Silicon-gasket, Hold hinges, Hinges, Shielding |
|  | 101.162.035 | aluNORM AD 162 | 240 | 160 | 100 | IP 66/EN 60529, IP 67/EN 60529 | | External mounting brackets, Protection Class IP 67, Supporting rail for series terminals, Corrosion proof coating, Cross rail, Mounting plates, Silicon-gasket, Hold hinges, Hinges, Shielding, Designed gasket, Internal hinges |
|  | 101.164.035 | aluNORM AD 164 | 320 | 160 | 100 | IP 66/EN 60529, IP 67/EN 60529 | | Protection Class IP 67, Internal hinges, External mounting brackets, Supporting rail for series terminals, Corrosion proof coating, Cross rail, Mounting plates, Silicon-gasket, Hold hinges, Hinges, Shielding |
|  | 101.166.035 | aluNORM AD 166 | 480 | 160 | 100 | IP 66/EN 60529, IP 67/EN 60529 | | Protection Class IP 67, Internal hinges, External mounting brackets, Supporting rail for series terminals, Corrosion proof coating, Cross rail, Mounting plates, Silicon-gasket, Hold hinges, Hinges, Shielding |









| Photo | Part-No. | Type | Length | Width | Height | Ingress protection | Gasket | Available Options |
|---|-----------------------------|----------------|--------|-------|--------|-----------------------------------|--------|---|
|  | 101.200.035 | aluNORM AD 200 | 200 | 200 | 120 | IP 66/EN 60529, IP 67/EN 60529 | | Shielding, Protection Class IP 67, Internal hinges, External mounting brackets, Supporting rail for series terminals, Corrosion proof coating, Cross rail, Mounting plates, Silicon-gasket, Hold hinges, Hinges |
|  | 101.202.035 | aluNORM AD 202 | 300 | 200 | 120 | IP 66/EN 60529, IP 67/EN 60529 | | Protection Class IP 67, Internal hinges, External mounting brackets, Supporting rail for series terminals, Corrosion proof coating, Cross rail, Mounting plates, Silicon-gasket, Hold hinges, Hinges, Shielding |
|  | 101.204.035 | aluNORM AD 204 | 400 | 200 | 120 | IP 66/EN 60529, IP 67/EN 60529 | | Protection Class IP 67, Internal hinges, External mounting brackets, Supporting rail for series terminals, Corrosion proof coating, Cross rail, Mounting plates, Silicon-gasket, Hold hinges, Hinges, Shielding |
|  | 101.240.035 | aluNORM AD 240 | 240 | 240 | 120 | IP 66/EN 60529, IP 67/EN 60529 | | Protection Class IP 67, Internal hinges, External mounting brackets, Supporting rail for series terminals, Corrosion proof coating, Cross rail, Mounting plates, Silicon-gasket, Hold hinges, Hinges, Shielding |
|  | 101.242.035 | aluNORM AD 242 | 360 | 240 | 120 | IP 66/EN 60529, IP 67/EN 60529 | | Protection Class IP 67, Internal hinges, External mounting brackets, Supporting rail for series terminals, Corrosion proof coating, Cross rail, Mounting plates, Silicon-gasket, Hold hinges, Hinges, Shielding |
|  | 101.244.035 | aluNORM AD 244 | 480 | 240 | 120 | IP 66/EN 60529, IP 67/EN 60529 | | Protection Class IP 67, Internal hinges, External mounting brackets, Supporting rail for series terminals, Corrosion proof coating, Cross rail, Mounting plates, Silicon-gasket, Hold hinges, Hinges, Shielding |
|  | 101.320.035 | aluNORM AD 320 | 320 | 320 | 120 | IP 66/EN 60529, IP 67/EN 60529 | | Protection Class IP 67, Internal hinges, External mounting brackets, Supporting rail for series terminals, Corrosion proof coating, Cross rail, Mounting plates, Silicon-gasket, Hold hinges, Hinges, Shielding |









| Photo | Part-No. | Type | Length | Width | Height | Ingress protection | Gasket | Available Options |
|-------|-----------------------------|----------------|--------|-------|--------|-----------------------------------|--------|--|
| | 101.322.035 | aluNORM AD 322 | 480 | 320 | 120 | IP 66/EN 60529, IP 67/EN 60529 | | Protection Class IP 67, Internal hinges, External mounting brackets, Supporting rail for series terminals, Corrosion proof coating, Cross rail, Mounting plates, Silicon-gasket, Hold hinges, Hinges, Shielding |
| | 101.324.035 | aluNORM AD 324 | 640 | 320 | 120 | IP 66/EN 60529, IP 67/EN 60529 | | Protection Class IP 67, Internal hinges, External mounting brackets, Supporting rail for series terminals, Corrosion proof coating, Cross rail, Mounting plates, Silicon-gasket, Hold hinges, Hinges, Shielding |

AF Dimensions






| Photo | Part-No. | Type | Length | Width | Height | Ingress protection | Gasket | Available Options |
|---|-----------------------------|----------------|--------|-------|--------|-----------------------------------|--------|---|
|  | 102.080.035 | aluNORM AF 080 | 80 | 80 | 40 | IP 66/EN 60529, IP 67/EN 60529 | | Cross rail, Designed gasket, Mounting plates, Protection Class IP 67, External mounting brackets, Silicon-gasket, Shielding, Block terminal support, Corrosion proof coating |
|  | 102.082.035 | aluNORM AF 082 | 120 | 80 | 40 | IP 66/EN 60529, IP 67/EN 60529 | | Cross rail, Designed gasket, Mounting plates, Protection Class IP 67, External mounting brackets, Silicon-gasket, Shielding, Block terminal support, Corrosion proof coating |
|  | 102.084.035 | aluNORM AF 084 | 160 | 80 | 40 | IP 66/EN 60529, IP 67/EN 60529 | | Cross rail, Protection Class IP 67, Mounting plates, External mounting brackets, Shielding, Block terminal support, Corrosion proof coating |
|  | 102.100.035 | aluNORM AF 100 | 100 | 100 | 54 | IP 66/EN 60529, IP 67/EN 60529 | | Cross rail, Designed gasket, Mounting plates, Protection Class IP 67, External mounting brackets, Silicon-gasket, Shielding, Supporting rail for series terminals, Corrosion proof coating |
|  | 102.102.035 | aluNORM AF 102 | 150 | 100 | 54 | IP 66/EN 60529, IP 67/EN 60529 | | Cross rail, Designed gasket, Mounting plates, Protection Class IP 67, External mounting brackets, Silicon-gasket, Shielding, Supporting rail for series terminals, Corrosion proof coating |
|  | 102.104.035 | aluNORM AF 104 | 200 | 100 | 54 | IP 66/EN 60529, IP 67/EN 60529 | | Cross rail, Protection Class IP 67, Mounting plates, External mounting brackets, Shielding, Supporting rail for series terminals, Corrosion proof coating |
|  | 102.120.035 | aluNORM AF 120 | 120 | 120 | 66 | IP 66/EN 60529, IP 67/EN 60529 | | Cross rail, Protection Class IP 67, Mounting plates, External mounting brackets, Hold hinges, Hinges, Shielding, Supporting rail for series terminals, Corrosion proof coating |
|  | 102.122.035 | aluNORM AF 122 | 180 | 120 | 66 | IP 66/EN 60529, IP 67/EN 60529 | | Designed gasket, External mounting brackets, Protection Class IP 67, Supporting rail for series terminals, Corrosion proof coating, Cross rail, Mounting plates, Silicon-gasket, Hold hinges, Hinges, Shielding |

| Photo | Part-No. | Type | Length | Width | Height | Ingress protection | Gasket | Available Options |
|---|-----------------------------|----------------|--------|-------|--------|-----------------------------------|--------|---|
|  | 102.124.035 | aluNORM AF 124 | 240 | 120 | 66 | IP 66/EN 60529, IP 67/EN 60529 | | Designed gasket, External mounting brackets, Protection Class IP 67, Supporting rail for series terminals, Corrosion proof coating, Cross rail, Mounting plates, Silicon-gasket, Hold hinges, Hinges, Shielding |
|  | 102.160.035 | aluNORM AF 160 | 160 | 160 | 66 | IP 66/EN 60529, IP 67/EN 60529 | | Cross rail, Protection Class IP 67, Mounting plates, External mounting brackets, Hold hinges, Hinges, Shielding, Supporting rail for series terminals, Corrosion proof coating |
|  | 102.162.035 | aluNORM AF 162 | 240 | 160 | 66 | IP 66/EN 60529, IP 67/EN 60529 | | Designed gasket, External mounting brackets, Protection Class IP 67, Supporting rail for series terminals, Corrosion proof coating, Cross rail, Mounting plates, Silicon-gasket, Hold hinges, Hinges, Shielding |
|  | 102.164.035 | aluNORM AF 164 | 320 | 160 | 66 | IP 66/EN 60529, IP 67/EN 60529 | | Cross rail, Protection Class IP 67, Mounting plates, External mounting brackets, Hold hinges, Hinges, Shielding, Supporting rail for series terminals, Corrosion proof coating |
|  | 102.166.035 | aluNORM AF 166 | 480 | 160 | 66 | IP 66/EN 60529, IP 67/EN 60529 | | Cross rail, Protection Class IP 67, Mounting plates, External mounting brackets, Hold hinges, Hinges, Shielding, Supporting rail for series terminals, Corrosion proof coating |
|  | 102.200.035 | aluNORM AF 200 | 200 | 200 | 80 | IP 66/EN 60529, IP 67/EN 60529 | | Cross rail, Protection Class IP 67, Mounting plates, External mounting brackets, Hold hinges, Hinges, Shielding, Supporting rail for series terminals, Corrosion proof coating |
|  | 102.202.035 | aluNORM AF 202 | 300 | 200 | 80 | IP 66/EN 60529, IP 67/EN 60529 | | Cross rail, Protection Class IP 67, Mounting plates, External mounting brackets, Hold hinges, Hinges, Shielding, Supporting rail for series terminals, Corrosion proof coating |
|  | 102.204.035 | aluNORM AF 204 | 400 | 200 | 80 | IP 66/EN 60529, IP 67/EN 60529 | | Cross rail, Protection Class IP 67, Mounting plates, External mounting brackets, Hold hinges, Hinges, Shielding, Supporting rail for series terminals, Corrosion proof coating |









| Photo | Part-No. | Type | Length | Width | Height | Ingress protection | Gasket | Available Options |
|---|-----------------------------|----------------|--------|-------|--------|-----------------------------------|--------|--|
|  | 102.240.035 | aluNORM AF 240 | 240 | 240 | 80 | IP 66/EN 60529, IP 67/EN 60529 | | Cross rail, Protection Class IP 67, Mounting plates, External mounting brackets, Hold hinges, Hinges, Shielding, Supporting rail for series terminals, Corrosion proof coating |
|  | 102.242.035 | aluNORM AF 242 | 360 | 240 | 80 | IP 66/EN 60529, IP 67/EN 60529 | | Cross rail, Protection Class IP 67, Mounting plates, External mounting brackets, Hold hinges, Hinges, Shielding, Supporting rail for series terminals, Corrosion proof coating |
|  | 102.244.035 | aluNORM AF 244 | 480 | 240 | 80 | IP 66/EN 60529, IP 67/EN 60529 | | Cross rail, Protection Class IP 67, Mounting plates, External mounting brackets, Hold hinges, Hinges, Shielding, Supporting rail for series terminals, Corrosion proof coating |
|  | 102.320.035 | aluNORM AF 320 | 320 | 320 | 80 | IP 66/EN 60529, IP 67/EN 60529 | | Protection Class IP 67, Mounting plates, External mounting brackets, Hold hinges, Hinges, Shielding, Supporting rail for series terminals, Corrosion proof coating, Cross rail |
|  | 102.322.035 | aluNORM AF 322 | 480 | 320 | 80 | IP 66/EN 60529, IP 67/EN 60529 | | Cross rail, Protection Class IP 67, Mounting plates, External mounting brackets, Hold hinges, Hinges, Shielding, Supporting rail for series terminals, Corrosion proof coating |
|  | 102.324.035 | aluNORM AF 324 | 640 | 320 | 80 | IP 66/EN 60529, IP 67/EN 60529 | | Cross rail, Protection Class IP 67, Mounting plates, External mounting brackets, Hold hinges, Hinges, Shielding, Supporting rail for series terminals, Corrosion proof coating |









AH Dimensions





| Photo | Part-No. | Type | Length | Width | Height | Ingress protection | Gasket | Available Options |
|---|-----------------------------|----------------|--------|-------|--------|-----------------------------------|--------|---|
|  | 103.100.035 | aluNORM AH 100 | 100 | 100 | 106 | IP 66/EN 60529, IP 67/EN 60529 | | Designed gasket, Mounting plates, Protection Class IP 67, External mounting brackets, Silicon-gasket, Hold hinges, Hinges, Shielding, Corrosion proof coating |
|  | 103.102.035 | aluNORM AH 102 | 150 | 100 | 106 | IP 66/EN 60529, IP 67/EN 60529 | | Protection Class IP 67, Mounting plates, External mounting brackets, Hold hinges, Hinges, Corrosion proof coating |
|  | 103.104.035 | aluNORM AH 104 | 200 | 100 | 106 | IP 66/EN 60529, IP 67/EN 60529 | | Protection Class IP 67, Mounting plates, External mounting brackets, Hold hinges, Hinges, Corrosion proof coating |
|  | 103.120.035 | aluNORM AH 120 | 120 | 120 | 134 | IP 66/EN 60529, IP 67/EN 60529 | | Protection Class IP 67, Mounting plates, External mounting brackets, Hold hinges, Hinges, Corrosion proof coating |
|  | 103.122.035 | aluNORM AH 122 | 180 | 120 | 134 | IP 66/EN 60529, IP 67/EN 60529 | | Protection Class IP 67, Mounting plates, External mounting brackets, Hold hinges, Hinges, Corrosion proof coating |
|  | 103.124.035 | aluNORM AH 124 | 240 | 120 | 134 | IP 66/EN 60529, IP 67/EN 60529 | | Protection Class IP 67, Mounting plates, External mounting brackets, Hold hinges, Hinges, Corrosion proof coating |
|  | 103.160.035 | aluNORM AH 160 | 160 | 160 | 134 | IP 66/EN 60529, IP 67/EN 60529 | | Designed gasket, Mounting plates, Protection Class IP 67, External mounting brackets, Silicon-gasket, Hold hinges, Hinges, Shielding, Corrosion proof coating |
|  | 103.162.035 | aluNORM AH 162 | 240 | 160 | 134 | IP 66/EN 60529, IP 67/EN 60529 | | Protection Class IP 67, Mounting plates, External mounting brackets, Hold hinges, Hinges, Corrosion proof coating |
|  | 103.164.035 | aluNORM AH 164 | 320 | 160 | 134 | IP 66/EN 60529, IP 67/EN 60529 | | Protection Class IP 67, Mounting plates, External mounting brackets, Hold hinges, Hinges, Corrosion proof coating |
|  | 103.166.035 | aluNORM AH 166 | 480 | 160 | 134 | IP 66/EN 60529, IP 67/EN 60529 | | Protection Class IP 67, Mounting plates, External mounting brackets, Hold hinges, Hinges, Corrosion proof coating |
|  | 103.200.035 | aluNORM AH 200 | 200 | 200 | 159 | IP 66/EN 60529, IP 67/EN 60529 | | Protection Class IP 67, Mounting plates, External mounting brackets, Hold hinges, Hinges, Corrosion proof coating |

| Photo | Part-No. | Type | Length | Width | Height | Ingress protection | Gasket | Available Options |
|---|-----------------------------|----------------|--------|-------|--------|-----------------------------------|--------|---|
|  | 103.202.035 | aluNORM AH 202 | 300 | 200 | 159 | IP 66/EN 60529, IP 67/EN 60529 | | Protection Class IP 67, Mounting plates, External mounting brackets, Hold hinges, Hinges, Corrosion proof coating |
|  | 103.204.035 | aluNORM AH 204 | 400 | 200 | 159 | IP 66/EN 60529, IP 67/EN 60529 | | Protection Class IP 67, Mounting plates, External mounting brackets, Hold hinges, Hinges, Corrosion proof coating |
|  | 103.240.035 | aluNORM AH 240 | 240 | 240 | 159 | IP 66/EN 60529, IP 67/EN 60529 | | Protection Class IP 67, Mounting plates, External mounting brackets, Hold hinges, Hinges, Corrosion proof coating |
|  | 103.242.035 | aluNORM AH 242 | 360 | 240 | 159 | IP 66/EN 60529, IP 67/EN 60529 | | Protection Class IP 67, Mounting plates, External mounting brackets, Hold hinges, Hinges, Corrosion proof coating |
|  | 103.244.035 | aluNORM AH 244 | 480 | 240 | 159 | IP 66/EN 60529, IP 67/EN 60529 | | Protection Class IP 67, Mounting plates, External mounting brackets, Hold hinges, Hinges, Corrosion proof coating |



AS Dimensions

| Photo | Part-No. | Type | Length | Width | Height | Ingress protection | Gasket | Available Options |
|---|-----------------------------|----------------|--------|-------|--------|-----------------------------------|--------|--|
|  | 100.060.035 | aluNORM AS 060 | 50 | 65 | 40 | IP 66/EN 60529, IP 67/EN 60529 | | Supporting rail for series terminals, Designed gasket, Mounting plates, Protection Class IP 67, Silicon-gasket, Shielding, Block terminal support, Corrosion proof coating |
|  | 100.062.035 | aluNORM AS 062 | 65 | 65 | 40 | IP 66/EN 60529, IP 67/EN 60529 | | Supporting rail for series terminals, Designed gasket, Mounting plates, Protection Class IP 67, Silicon-gasket, Shielding, Block terminal support, Corrosion proof coating |
|  | 100.064.035 | aluNORM AS 064 | 100 | 65 | 40 | IP 66/EN 60529, IP 67/EN 60529 | | Supporting rail for series terminals, Designed gasket, Mounting plates, Protection Class IP 67, Silicon-gasket, Shielding, Block terminal support, Corrosion proof coating |
|  | 100.066.035 | aluNORM AS 066 | 150 | 65 | 40 | IP 66/EN 60529, IP 67/EN 60529 | | Supporting rail for series terminals, Designed gasket, Mounting plates, Protection Class IP 67, Silicon-gasket, Shielding, Block terminal support, Corrosion proof coating |
|  | 100.080.035 | aluNORM AS 080 | 80 | 80 | 60 | IP 66/EN 60529, IP 67/EN 60529 | | Supporting rail for series terminals, Designed gasket, Mounting plates, Protection Class IP 67, External mounting brackets, Silicon-gasket, Shielding, Block terminal support, Corrosion proof coating |
|  | 100.082.035 | aluNORM AS 082 | 120 | 80 | 60 | IP 66/EN 60529, IP 67/EN 60529 | | Supporting rail for series terminals, Designed gasket, Mounting plates, Protection Class IP 67, External mounting brackets, Silicon-gasket, Shielding, Block terminal support, Corrosion proof coating |
|  | 100.084.035 | aluNORM AS 084 | 160 | 80 | 60 | IP 66/EN 60529, IP 67/EN 60529 | | Supporting rail for series terminals, Designed gasket, Mounting plates, Protection Class IP 67, External mounting brackets, Silicon-gasket, Shielding, Block terminal support, Corrosion proof coating |
|  | 100.100.035 | aluNORM AS 100 | 100 | 100 | 80 | IP 66/EN 60529, IP 67/EN 60529 | | Supporting rail for series terminals, Designed gasket, Mounting plates, Protection Class IP 67, External mounting brackets, Silicon-gasket, Hold hinges, Hinges, Shielding, Corrosion proof coating |

| Photo | Part-No. | Type | Length | Width | Height | Ingress protection | Gasket | Available Options |
|---|-----------------------------|----------------|--------|-------|--------|-----------------------------------|--------|--|
|  | 100.102.035 | aluNORM AS 102 | 150 | 100 | 80 | IP 66/EN 60529, IP 67/EN 60529 | | Supporting rail for series terminals, Designed gasket, Mounting plates, Protection Class IP 67, External mounting brackets, Silicon-gasket, Hold hinges, Hinges, Shielding, Corrosion proof coating |
|  | 100.104.035 | aluNORM AS 104 | 200 | 100 | 80 | IP 66/EN 60529, IP 67/EN 60529 | | Supporting rail for series terminals, Designed gasket, Mounting plates, Protection Class IP 67, External mounting brackets, Silicon-gasket, Hold hinges, Hinges, Shielding, Corrosion proof coating |
|  | 100.120.035 | aluNORM AS 120 | 120 | 120 | 100 | IP 66/EN 60529, IP 67/EN 60529 | | Designed gasket, Internal hinges, External mounting brackets, Protection Class IP 67, Supporting rail for series terminals, Corrosion proof coating, Mounting plates, Silicon-gasket, Hold hinges, Hinges, Shielding |
|  | 100.122.035 | aluNORM AS 122 | 180 | 120 | 100 | IP 66/EN 60529, IP 67/EN 60529 | | Designed gasket, Internal hinges, External mounting brackets, Protection Class IP 67, Supporting rail for series terminals, Corrosion proof coating, Mounting plates, Silicon-gasket, Hold hinges, Hinges, Shielding |
|  | 100.124.035 | aluNORM AS 124 | 240 | 120 | 100 | IP 66/EN 60529, IP 67/EN 60529 | | Designed gasket, Internal hinges, External mounting brackets, Protection Class IP 67, Supporting rail for series terminals, Corrosion proof coating, Mounting plates, Silicon-gasket, Hold hinges, Hinges, Shielding |
|  | 100.160.035 | aluNORM AS 160 | 160 | 160 | 100 | IP 66/EN 60529, IP 67/EN 60529 | | Designed gasket, Internal hinges, External mounting brackets, Protection Class IP 67, Supporting rail for series terminals, Corrosion proof coating, Mounting plates, Silicon-gasket, Hold hinges, Hinges, Shielding |
|  | 100.162.035 | aluNORM AS 162 | 240 | 160 | 100 | IP 66/EN 60529, IP 67/EN 60529 | | Designed gasket, Internal hinges, External mounting brackets, Protection Class IP 67, Supporting rail for series terminals, Corrosion proof coating, Mounting plates, Silicon-gasket, Hold hinges, Hinges, Shielding |
|  | 100.164.035 | aluNORM AS 164 | 320 | 160 | 100 | IP 66/EN 60529, IP 67/EN 60529 | | Supporting rail for series terminals, Protection Class IP 67, Mounting plates, Internal hinges, External mounting brackets, Silicon-gasket, Hold hinges, Hinges, Shielding, Corrosion proof coating |

| Photo | Part-No. | Type | Length | Width | Height | Ingress protection | Gasket | Available Options |
|---|-----------------------------|----------------|--------|-------|--------|-----------------------------------|--------|---|
|  | 100.166.035 | aluNORM AS 166 | 480 | 160 | 100 | IP 66/EN 60529, IP 67/EN 60529 | | Supporting rail for series terminals, Protection Class IP 67, Mounting plates, Internal hinges, External mounting brackets, Silicon-gasket, Hold hinges, Hinges, Shielding, Corrosion proof coating |
|  | 100.200.035 | aluNORM AS 200 | 200 | 200 | 120 | IP 66/EN 60529, IP 67/EN 60529 | | Supporting rail for series terminals, Protection Class IP 67, Mounting plates, Internal hinges, External mounting brackets, Silicon-gasket, Hold hinges, Hinges, Shielding, Corrosion proof coating |
|  | 100.202.035 | aluNORM AS 202 | 300 | 200 | 120 | IP 66/EN 60529, IP 67/EN 60529 | | Supporting rail for series terminals, Protection Class IP 67, Mounting plates, Internal hinges, External mounting brackets, Silicon-gasket, Hold hinges, Hinges, Shielding, Corrosion proof coating |
|  | 100.204.035 | aluNORM AS 204 | 400 | 200 | 120 | IP 66/EN 60529, IP 67/EN 60529 | | Supporting rail for series terminals, Protection Class IP 67, Mounting plates, Internal hinges, External mounting brackets, Silicon-gasket, Hold hinges, Hinges, Shielding, Corrosion proof coating |
|  | 100.240.035 | aluNORM AS 240 | 240 | 240 | 120 | IP 66/EN 60529, IP 67/EN 60529 | | Supporting rail for series terminals, Protection Class IP 67, Mounting plates, Internal hinges, External mounting brackets, Silicon-gasket, Hold hinges, Hinges, Shielding, Corrosion proof coating |
|  | 100.242.035 | aluNORM AS 242 | 360 | 240 | 120 | IP 66/EN 60529, IP 67/EN 60529 | | External mounting brackets, Silicon-gasket, Hold hinges, Hinges, Shielding, Corrosion proof coating, Supporting rail for series terminals, Protection Class IP 67, Mounting plates, Internal hinges |
|  | 100.244.035 | aluNORM AS 244 | 480 | 240 | 120 | IP 66/EN 60529, IP 67/EN 60529 | | Supporting rail for series terminals, Protection Class IP 67, Mounting plates, Internal hinges, External mounting brackets, Silicon-gasket, Hold hinges, Hinges, Shielding, Corrosion proof coating |
|  | 100.320.035 | aluNORM AS 320 | 320 | 320 | 120 | IP 66/EN 60529, IP 67/EN 60529 | | Supporting rail for series terminals, Protection Class IP 67, Mounting plates, Internal hinges, External mounting brackets, Silicon-gasket, Hold hinges, Hinges, Shielding, Corrosion proof coating |



| Photo | Part-No. | Type | Length | Width | Height | Ingress protection | Gasket | Available Options |
|---|-----------------------------|----------------|--------|-------|--------|-----------------------------------|--------|---|
|  | 100.322.035 | aluNORM AS 322 | 480 | 320 | 120 | IP 66/EN 60529, IP 67/EN 60529 | | Supporting rail for series terminals, Protection Class IP 67, Mounting plates, Internal hinges, External mounting brackets, Silicon-gasket, Hold hinges, Hinges, Shielding, Corrosion proof coating |
|  | 100.324.035 | aluNORM AS 324 | 640 | 320 | 120 | IP 66/EN 60529, IP 67/EN 60529 | | Supporting rail for series terminals, Protection Class IP 67, Mounting plates, Internal hinges, External mounting brackets, Silicon-gasket, Hold hinges, Hinges, Shielding, Corrosion proof coating |