


## Suspension-system Quadro 50

## Type: Square tube 50x50

## Material-No.: 144.02\*.\*\*\*


144.020.500 (L= 500 mm) 144.021.000 (L= 1000 mm) 144.021.500 (L= 1500 mm) 144.022.000 (L= 2000 mm)



Material system elements	Welded precision steel	Pivoting range	
Gasket		Weight	2,750 kg
Assembly screws		Coating	Powder coating RAL 7035, light grey
Ingress protection	IP54 EN 60529	Tolerance	EN 10305-4 (DIN 2391)



### 144.020.500 Square tube 500 mm



#### Product overview

Material	Steel
Protection Class	IP 54/EN 60529
Color	RAL 7035
Weight (g)	2750 g





#### QUADRO 50

THE STABLE SUPPORT ARM SYSTEM

#### The most important product features:

- Profile cross-sections: Square 50 mm
- System parts material: diecast aluminium/spheroidal graphite iron, powder coating, RAL 7040
- Suspension profile material: drawn steel, powder coating, RAL 7035
- Various connections available
- Adaptation from square tube to round tube Ø48 possible
- Can be used with all ROLEC command enclosures
- Possible to route connectors such as HDMI, DVI, network adapters, etc.
- Gasket: chloroprene (CR)

---

QUADRO 50 gets its name from the 50 mm square steel profiles which form the basis of the system. Connection joints and couplings are made of high load spheroidal graphite which provides a higher than average bearing strength. The overall static equilibrium of the system is extremely high due to its use of steel profiles.

QUADRO can be assembled quickly and easily at the point of use, thanks to its sophisticated technology. The articulated parts are equipped with a swivel limiter. A control lamp adapter and a QUADRO 50/taraPLUS elbow for connection to the taraPLUS system complete the range. Compatible command enclosures include commandCASE aluFACE and profiPANEL.

#### Principle

Closed system with easy access to system parts for medium and heavy loads

#### Additional info

Simple alignment of the system Heavy-duty system parts made from spheroidal graphite Signal light adapter available for the elbow Transition from QUADRO 50 to taraPLUS around 48mm possible with special elbow Compatible ROLEC control enclosures: commandCASE, aluFACE, profiPANEL

#### Material/coating

System elements: Aluminium and high-tensile spheroidal graphite Powder coating RAL 7040, window grey Optional: Special colours Supportprofile: Steel, drawn Powder coating RAL 7035, light grey Optional: Special colours Bellows: PVC, RAL 7035, light grey

#### **Cable routing**

Suitable for HDMI, patch cables, USB etc., not suitable for DVI plugs





Ingress protection IP 54 / EN 60529

**Torque for cutting ring screws** 30 Nm = 3 kg/m

# **Full-Service-Products**

Customization according to your wishes.





Everything begins with individual advice. We'll be pleased to support you with your project and find solutions for every requirement. Customer-specific solutions are our speciality.



Test our products with your internal mounting. We'll be pleased to send you a sample enclosure for inspection with no strings attached.



We'll manufacture every enclosure for you according to your exact specifications - whether they involve precise drilling or large tolerance.



Thanks to our modern CNC production, we can quickly and efficiently mill custom-fit cut-outs and contours to match your exact specifications.



Our services also include engraving your logo and other elements, which we can of course perform in any colour you desire.



We can process stainless steel enclosures and plates quickly and reliably according to your individual requirements thanks to our in-house lasering centre.



We can powder coat enclosures, command enclosures and suspension systems in any RAL colour you desire. Custom colours are of course also possible.



We can also paint all our enclosures in any RAL colour you desire. The application of primer and special colour

structures are possible, as well.



If desired, we can apply your logo and lettering or other markings using serigraph printing.



Digital printing is particularly worthwhile for low-volume order s and for realising complex pa tterns or images.



We offer our conFORM low-price standard EMC enclosure to protect your internal mounting against electromagnetic radiation. On request, we can also supply an EMC-compliant version of any other ROLEC enclosure.

If you have any requirements for services not listed here, please ask us. Customer-specific solutions are our speciality. We also are keen to take on unusual tasks.

We will help you with those challenges that many others would give up on.

**Our Service** 



We are able to offer the right made-tomeasure display for all our enclosures - in varying sizes and degrees of robustness depending on the application.



ROLEC's portfolio also includes matching front plates, mounting plate, supporting rails and terminal blocks as well as a range of cable glands, blanking plugs etc.



Would you like to have all your components supplied already assembled? No problem. Our assembly team will be pleased to perform all assembly work on your behalf.