


246.202.000
inoBOX IBBF 202



technical data

Material	Stainless steel
Protection class	IP 66/EN 60529
Colour	Stainless steel edelstahl
Certifications	CSA (optional), GOST, UL (optional)
Length	300 mm
Width	200 mm
Height	90 mm
Weight (g)	2400 g
Country of manufacture	Germany
Customs tariff number	73269098

inoBOX A4

INNOVATIVE A4 STAINLESS STEEL ENCLOSURES PROTECT VALUABLE ELECTRONICS EQUIPMENT

IP 66

inoBOX 1.4404/A4 stainless steel enclosures impress with the usual ROLEC benefits - for every type of industrial internal mounting. Spacers are fitted in the bottom for mounting circuit boards, supporting rails or mounting plates. There is also an earthing bolt attached to the lid. Cable glands, mounting plates and other accessories are also available. For smaller order volumes, processing is carried out in our in-house laser processing centre. This offers maximum flexibility in the processing of products required at short notice.

Enclosure sizes
14 versions

Dimensions L x W x H:

100 x 100 x 90 mm to 400 x 300 x 120 mm

Further information
1.4404/A4, international designation: AISI 316

Enclosure
Stainless sheet steel, edged and welded, alloy 1.4404 (AISI 316) V4A, sheet thickness 1.2 mm

Fastening
Optional external fastening available

Internal mountings
Fastening points for mounting cross rails and mounting plates in the bottom
Earthing bolt M5 in the lid

Ingress protection
IP 66 / EN 60529
NEMA 4X
IK08 EN 62262

Gasket
Polyurethane (PU), temperature resistance - 40°C to + 80°C



<https://www.rolec-enclosures.co.uk>



Our *passion* is enclosures.

Lid screws
Stainless steel, captive, cross slot

Surface
Polished

ROLEC Service
Utilise our full service offer for installation-ready enclosures