






type PPD 150 (90/60)


article-no.: 332.150.AAA












useable front-plate area = nominal size -50 mm area reduction generated by lock and hinge combination

\*1 lock on side for dimension H < 600 mm 2 locks on side for dimension H ≥ 600mm (distance betweenn locks= H-300mm)



between locks— if soonin)				
enclosure material	aluminium profile (AlMgSi0,5) anodized , corner (AlSi 12)	front panel	aluminium 3mm, anodized	
door	hinges and locks	corner covers	PA RAL 7035	
protection class	IP65 EN 60529	tolerances	outside dimension+/-1mm; others DIN 2768-m	
weight	depends on configuration			





## 332.150.001 PPD 150 (Combi 90/60)



Product overview	
Material	Extruded aluminium
Protection Class	IP 65/ EN 60529
Color	Anodised silver, RAL 7035
Certifications	UL (optional)



#### profiPANEL

#### THE DESIGN HMI ENCLOSURE

(UL approval not valid for panels with basic profile 120)

#### Up to IP 65

#### The key product features:

- Enclosure material: aluminium profiles
- · Enclosure surface: anodised silver
- Corner cover: RAL 7035
- Profile enclosure manufactured to measure in 9 installation depths
- Direct access through doors with locks and hinges (on the longer side as standard)
- Enclosure seal: PUR

---

Thanks to the option of combining all basic profile depths, profiPANEL enables a total of nine mounting depths to be provided for. The connection of 60 or 90 mm deep desk also offers additional options for extended internal mounting. Thanks to this wide range of depths, profiPANEL therefore enables almost every conceivable configuration for the internal mounting of components to be realised. The enclosure front of the profiPANEL system is manufactured made-to-measure and provides for the almost edgeless and flush mounting of a front plate, which is permanently connected to the enclosure. Appropriate cut-outs for a display, switches and more are included in the service provided by ROLEC and are produced ex-works to meet customer specifications. A desk is a clever solution when there's not enough space in the control enclosure or you need additional buttons. The profiPANEL series therefore includes two desk models, 60 and 90 mm deep (D), for internal mounting. The desk adapter offers plenty of space for routing HDMI or DVI cables or network plugs. The desk is 200 mm high ex works. Non-standard dimensions are available on request. The rear wall of the desk is bolted on as standard. An ergonomically designed profile handle system is available for even more convenient handling, particularly with the deeper profile versions. There is also a 450-mm wide latching keyboard holder as an alternative to the desk, which can be enhanced and/or extended by an additional mouse holder.

To configure this product, please contact us without obligation. We are happy to help.

#### **Enclosure sizes**

Made-to-measure as per customer's needs L x W x H max. 150 x 150 x 360 mm 800 x 800 x 60-300 mm

#### **Additional information**

Minimalist, multi-variable design for modern machines

Profile enclosure - made-to-measure

Four basic profiles (60/90/120/150 mm). Nine enclosure depths: 60/90/120/150/180/210/240/270/300 mm Front plate is permanently connected to the enclosure, mounted almost edgeless and flush

## **Enclosure**

Extruded aluminium

Thermoplast corner covers, RAL 7035, 9005, 3020 or 5017 Standard front plates: aluminium 3 mm, Al Mg 1, silver anodised Optional: Finished front plates, lasered, engraved or printed

Optional: Profile handle, extruded aluminium with plastic connection, RAL 7035

Enclosure lock Basic profiles: locks and exterior hinges, optionally bolted



## **Fastening**

Basic profile with panel coupling, all other profiles with coupling on the ROLEC suspension arm system profiPLUS 50

## Internal mounting

Slide-in contour for spring nuts M4/M5

## Ingress protection

Up to IP 65 / EN 60529

## Coating

Anodised

### **ROLEC service**

Avail of our Full Service Offer for installation-ready enclosures

# **Full-Service-Products**

Customization according to your wishes.





Everything begins with individual advice. We'll be pleased to support you with your project and find solutions for every requirement. Customer-specific solutions are our speciality.



Test our products with your internal mounting. We'll be pleased to send you a sample enclosure for inspection with no strings attached.



We'll manufacture every enclosure for you according to your exact specifications - whether they involve precise drilling or large tolerance.



Thanks to our modern CNC production, we can quickly and efficiently mill custom-fit cut-outs and contours to match your exact specifications.



Our services also include engraving your logo and other elements, which we can of course perform in any colour you desire.



We can process stainless steel enclosures and plates quickly and reliably according to your individual requirements thanks to our in-house lasering centre.



We can powder coat enclosures, command enclosures and suspension systems in any RAL colour you desire. Custom colours are of course also possible.



We can also paint all our enclosures in any RAL colour you desire. The application of primer and special colour structures are possible, as well.



If desired, we can apply your logo and lettering or other markings using serigraph printing.



Digital printing is particularly worthwhile for low-volume orders and for realising complex parterns or images.



We offer our conFORM low-price standard EMC enclosure to protect your internal mounting against electromagnetic radiation. On request, we can also supply an EMC-compliant version of any other ROLEC enclosure.



We are able to offer the right made-tomeasure display for all our enclosures - in varying sizes and degrees of robustness depending on the application.



ROLEC's portfolio also includes matching front plates, mounting plate, supporting rails and terminal blocks as well as a range of cable glands, blanking plugs etc.



Would you like to have all your components supplied already assembled?
No problem. Our assembly team will be pleased to perform all assembly work on your behalf.

If you have any requirements for services not listed here, please ask us. Customer-specific solutions are our speciality. We also are keen to take on unusual tasks.

We will help you with those challenges that many others

Our Service

would give up on.